

# FAS-DPD TITRATING REAGENT (CHLORINE)

Product: R-0871

## Section 1: PRODUCT INFORMATION

**Chemical family:** Inorganic acid solution.

**Product uses:** Chemical.

**Supplier:** Lowry & Associates, div. of Chem-Aquascience, Inc  
Canadian Master Distributors for Taylor Technologies, Inc.  
4-1151 Gorham Street  
Newmarket, ON.  
L3Y 8Y1  
Tel: 905-836-0505  
Fax: 905-895-4539.

**Emergency Phone Number:** Canutec 613-996-6666.

**Manufacturer:** Taylor Technologies Inc.  
31 Loveton Circle  
Sparks, MD USA 21152  
Tel: 410-472-4340.

**TDG classification:** Not regulated.

**WHMIS classification:** Not controlled.

**DSL status:** Not available.

## Section 2: HAZARDOUS INGREDIENTS

C.A.S.	CONCENTRATION %	Ingredient Name	T.L.V.	LD/50	LC/50
	<1	NO HAZARDOUS INGREDIENTS	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE

## Section 2A: ADDITIONAL INGREDIENT INFORMATION

**Note:** Balance: water (CAS# 7732-18-5).

## Section 3: PHYSICAL DATA

**Physical state:** Liquid.

**Appearance & odor:** Colourless.  
Clear  
Odourless.

**Odor threshold (ppm):** Not available.

**Vapour pressure (mmHg):** 17

**Vapour density (air=1):** .6

### Volatiles (%)

**By volume:** 98

**Evaporation rate  
(butyl acetate = 1):** Not available.

**Boiling point (°C):** 212F (100C)

**Freezing point (°C):** Not available.

**pH:** 2.1

**Specific gravity @ 20 °C:** 1

**Solubility in water (%):** Soluble.

**Coefficient of water\oil dist.:** Not available.

#### Section 4: FIRE & EXPLOSION DATA

**Flammability:** Not flammable.

**Conditions of flammability:** Surrounding fire.

**Extinguishing media:** Dry chemical.  
Carbon dioxide.

**Special procedures:** Wear a positive–pressure, self–contained breathing apparatus and full protective equipment.

**Auto–ignition temperature (°C):** Not applicable.

**Flash point (°C), method:** Not applicable.

**Lower flammability limit (% vol):** Not applicable.

**Upper flammability limit (% vol):** Not applicable.

#### Explosion Data

**Sensitivity to static discharge:** Not applicable.

**Sensitivity to mechanical impact:** Not applicable.

**Hazardous combustion products:** Oxides of sulfur (SO<sub>x</sub>).  
Contact with metals may produce flammable hydrogen gas.

**Explosive power:** Not available.

#### Section 5: REACTIVITY DATA

**Chemical stability:** Stable under normal conditions.

**Conditions of instability:** Contact with water.  
Extreme temperatures.  
Extreme heat.

**Hazardous polymerization:** Not available.

**Incompatible substances:** Strong alkalis.  
Metals.

**Hazardous decomposition products:** See hazardous combustion products.

## Section 6: TOXICOLOGICAL PROPERTIES

**Route of entry:** Ingestion and skin contact.

Effects of acute exposure

**Eye contact:** May cause irritation.

**Skin contact:** May cause irritation.

**Inhalation:** May be harmful if inhaled.

**Ingestion:** May cause gastro-intestinal irritation.

**Effects of chronic exposure:** Pre-existing eye and skin disorders may be aggravated by exposure to this product.

**LD50 of product, species & route:** Not available.

**LC50 of product, species & route:** Not available.

**Exposure limit of material:** Not available.

**Sensitization to product:** Not available.

**Carcinogenic effects:** Not listed as a carcinogen.

**Reproductive effects:** Not available.

**Teratogenicity:** Not available.

**Mutagenicity:** Not available.

**Synergistic materials:** Not available.

## Section 7: PREVENTATIVE MEASURES

### Precautionary Measures

**Gloves/Type:**



General work gloves to minimize skin contact.

**Respiratory/Type:**



Wear a NIOSH approved respirator if TLV is exceeded.

**Eye/Type:**



Safety glasses.

**Footwear/Type:** Safety shoes per local regulations.

**Clothing/Type:**



Lab coat.

**Other/Type:** Eye wash facility should be in close proximity.  
Emergency shower should be in close proximity.

**Ventilation requirements:** Provide sufficient mechanical ventilation to maintain exposure below TLV.

**Leak/Spill:** Absorb with inert material.  
Wear appropriate protective equipment.  
Neutralize with soda ash.  
Place in a closed container for disposal.

**Waste disposal:** Dispose of all waste in accordance with Local, State, and Federal regulations.

**Handling procedures and equipment:** Use adequate ventilation.  
Wear personal protective equipment appropriate to task.  
Wash thoroughly after handling.  
Avoid contact with skin, eyes and clothing.  
Launder contaminated clothing prior to reuse.

**Storage requirements:** Keep out of direct sunlight.  
Store in a cool and dry place.

**Special shipping information:** See transportation information.

### Section 8: FIRST AID MEASURES

**Skin contact:** Remove contaminated clothing.  
Wash thoroughly with soap and water.  
Seek medical attention if irritation persists.

**Eye contact:** Immediately flush eyes with running fresh water for a minimum of 20 minutes.  
Hold eyelids open during flushing. Obtain medical attention immediately.

**Inhalation:** Remove victim to fresh air.  
If irritation occurs, consult a physician.

**Ingestion:** Obtain medical attention.  
Never give anything by mouth to an unconscious person.  
Drink a large amount of water.

**Additional information:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any inaccuracies.

### Section 9: ADDITIONAL INFORMATION

**General note:** This material safety data sheet was prepared from information obtained from various sources, including product suppliers and the Canadian Center for Occupational Health and Safety.

**Data prepared by:** Lowry & Associates, div. of Chem–Aquascience, Inc  
Canadian Master Distributors for Taylor Technologies, Inc.  
4–1151 Gorham Street  
Newmarket, ON.  
L3Y 8Y1  
Tel: 905–836–0505  
Fax: 905–895–4539.

**Supplier MSDS date:** 2009/08/10

This MSDS was generated by *Conform–Plus* Application Service. Visit us at [www.netmsds.com](http://www.netmsds.com).