

SALT POOL

START UP & MAINTENANCE

START UP

Pool Size _____ Litres

DAY 1 | SCALE, SHOCK & PUCKS

Add _____ ml of **AQUA SeaQuest**

(City: 120ml/10,000L | Well: 240ml/10,000L) **Wait 2 Hours**

Add _____ g of **AQUA Super Shock**

(150g/10,000L)

Or Add 20L of Liquid Chlorine (Sodium Hypochlorite)

DAY 2 | ALGAE PREVENTION

Add _____ ml of **AQUA Wham-O**

(80ml/10,000L)

DAY 3 | OXIDIZE

Add _____ g of **AQUA Saline Booster**

(225g/10,000L)

DAY 4 | BALANCE YOUR WATER

Visit Oasis with a sample of your pool water & follow our instructions.

CLOSING FOR WINTER

AFTER WATER IS LOWERED

Add _____ ml of **AQUA SeaQuest**

Add _____ ml of **AQUA Wham-O**

Add _____ g of **AQUA Saline Booster**

IF CHLORINE LEVEL IN YOUR WATER IS BELOW 5PPM

Add _____ L of Liquid Chlorine (Sodium Hypochlorite)

(1L/10,000L)

HELPFUL HINTS

Pre-dissolve any granular chemicals in water before adding into the pool, except when directed by a professional.

Always add chemical to water NEVER water to chemical.

Never mix chemicals together - Allow 20 mins between each addition (unless specific wait times are directed)

CONTACT US

1000 ST. ANNE'S RD. WINNIPEG, MB R2N 0A5
204 253 7186 | WATERLAB@ILOVEMYOASIS.COM
WWW.ILOVEMYOASIS.COM



Questions or Concerns?

Visit our
Waterlab Staff at
Oasis Pools & Spas

We can provide you
with the proper
information you need
to maintain clean and
healthy pool water
for you and your
family to enjoy

Bring a
Water Sample
for a FREE
water test +
recommendations



PROPER LEVELS

CHLORINE | 2ppm - 5ppm

ALKALINITY | 60ppm - 100ppm

PH | 7.2 - 7.6

HARDNESS | 200ppm - 400ppm

STABILIZER | 60ppm - 80ppm

PHOSPHATES | 0ppb - 500ppb

MAINTENANCE

DAILY | Test with Test Strips

Chlorine should be between 2 ppm - 5 ppm

If Chlorine is low, Turn your Output dial up 5%

*You can also Add ____ g **Super Shock** (30g/10,000L)

If Chlorine is high, Add ____ g of **AQUA Neutralizer** (100g/10,000L removes 5ppm)

*You may also wait for Chlorine to dissipate (Cover off & Turn output dial down)

Alkalinity should be between 60 ppm - 100 ppm

If Alk is low, Add ____ g of **AQUA Trol** (170g/10,000L) | **RETEST**

If Alk is high, Add ____ L of **ACID** (200ml/10,000L lowers 10ppm)

*Wait 12 hours before adding other chemical or entering

PH should be between 7.2 ppm - 7.6 ppm

If PH is low, start with 1 cup (250g) of **AQUA PH Plus** | **RETEST**

If PH is high, start with 1 cup (250g) of **AQUA PH Minus**

NOT DISSOLVED | **RETEST**

BI-WEEKLY MAINTENANCE

STEP 1 | SHOCK

Add ____ g of **AQUA Saline Booster** (110g/10,000L)
OR

Add ____ g of **AQUA Super Shock** (110g/10,000L)

*Alternative to your Super Chlorinate option

STEP 2 | PREVENT STAIN & SCALE

Add ____ ml of **AQUA SeaQuest** (30ml/10,000L)

STEP 3 | PREVENT ALGAE

Add ____ ml of **AQUA Wham-O** (30ml/10,000L)

OUR SERVICES

Call or E-mail our Service Department to find out about our Maintenance programs at **204.253.7186** | service@ilovemyoasis.com